



California Department of Public Health  
**MEMORANDUM**

---

**DATE:** July 31, 2012

**TO:** *[Signature]* Stephen A. Woods, Department of Defense Project Manager  
Center for Environmental Health  
1500 Capitol Avenue, MS 0511 *[Signature]*

**VIA:** Leah Godsey Walker, Chief *DMW*  
Division Drinking Water and Environmental Management  
1616 Capitol Avenue, MS 7400

**FROM:** Kelvin Yamada, Branch Chief *MEB for Kelvin Yamada*  
Environmental Management Branch  
1616 Capitol Avenue, MS 7402  
916-449-5661

**SUBJECT:** Radiological Unrestricted Release Recommendation for Parcel B –  
Except IR Site 7 and 18, Hunters Point Shipyard,  
San Francisco, California

The Environmental Management Branch (EMB) of the California Department of Public Health (CDPH) has reviewed submitted Department of Navy (DON) radiological documentation associated with radiological contamination and subsequent remediation of that contamination within Parcel B. The DON seeks a radiological unrestricted release recommendation (RURR) from EMB for 40 acres of the 54-acre Parcel B. Radiologic Health Branch (RHB) of CDPH is coordinating with DON on the release of the remaining 14 acres within Installation Restoration (IR) Site 7 & 18 of Parcel B.

This documentation covers RURRs issued for buildings (B) and building sites (BS) of B-103, B-113, B-113A, BS-114, B-130, B-140, BS-140 (channel), B-140, B-146, B-157, and others related to supporting documentation for those RURRs. In addition, results from final status survey reports, information from other reports, and specific tests for thousands of soil samples were used by EMB to evaluate soil remediation efforts by DON of the storm drains and sanitary sewer systems within Parcel B. The EMB conducted confirmatory surveys in many of the buildings listed above, and conducted confirmatory soil analysis from DON-collected soil samples from storm drains and sanitary sewer system.

EMB provided technical comments to DON's supplied reports, and DON has adequately addressed the technical comments and has revised their documentation. Based on all of the relevant information supplied and generated, EMB concludes requirements of Title 17, California Code of

Regulations, Section 30256 have been adequately addressed for issuance of a RURR by EMB for the 40-acre portion of Parcel B.

Please contact Kelvin if you need further assistance about this subject.